

350

DRAINAGE PLOW



Combining the features of BRON's larger drainage plows with the requirement of lighter road weight comes the BRON 350 Self-Propelled Drainage Plow. Weighing only 58,000 pounds, the 350 offers you BRON technology and design on a D6 undercarriage.



58,000 LB

EASY TO TRANSPORT



360 HORSE
POWER

EFFICIENT POWER



78" CUTTING
DEPTH

DOUBLE-LINK PLOW

FEATURES



ROPS / FOPS CAB

Cab is reinforced with interior steel frame which meets safety requirements for rollover and falling objects protection.



ERGONOMIC DESIGN

Plow controls are mounted on both sides of the swivel high-back chair and pivot with the chair as you navigate where you are going and monitoring the installation behind you.



UNDER HOOD MAINTENANCE LIGHT

The BRON 350 has improved lighting with lamps inside the engine compartment for better visibility when servicing the engine and hydraulics.



COMPRESSED AIR LINES

Located at both the front and rear of the BRON 350 are standard compressed air lines making maintenance and clean up easier.



SELF-LEVELLING

Hydraulic cylinders keep the entire tractor and plow level for perfect grading while traveling across sloped surfaces.



TRI-CORE COOLING

BRON's proven Tri-Core Cooling package is designed to efficiently handle all the system heat exchange requirements with one variable speed and reversing fan. The fan speed is fully variable based on cooling demand.

OPTIONS



ON-BOARD REEL

Carries a roll of tile on the machine when traveling and plowing in wet and muddy conditions, eliminating ruts that occur when using a stringer tractor and wagon.




TILE PULLER

Provides consistent draw of tile from the reel. Can be catwalk mounted or swing out.



MANUAL GREASE BANK

A safe and easier way to add grease to your pin points for both plow and axles.



STEPS

Bolt-on steps to help the operator on and off the power unit. Available on left or right side.



ICE PICKS

For added traction, ice picks are welded to existing single bar grouser.



CHUTES

Available in sizes 3" to 15" (7.62cm – 38.1cm). RWF BRON also designs and builds sand, gravel hoppers and custom made chutes.



CUTTER CRUSHER CHUTE

BRON's unique design cuts and crushes the tile, saves time and money by eliminating the need for endcaps. Available in 4" and 6" (10.16cm – 15.24cm) sizes.



8" POWER FEEDER

Avoids tile from stretching by mechanically feeding the tile into the chute.



AUTOMATIC LUBRICATION SYSTEM

Automatically lubricates all points of the plow, under carriage and onboard reel.

PLOW SPECIFICATIONS

Operating Weight - lbs (kg)	58,000 (26,300)	Ground Contact Pressure - Psi (kPa)	5.0 (34.5)
Max. Cutting Depth - in. (m)	6'-6" (2.0)	Powertrain	Hydrostatic
Engine Make	Cummins®	Undercarriage	D6
Net Power - hp (KW)	360 (268)	Travel Speed - mph (kph)	3.0 (4.8)
Fuel Tank Cap. - U.S. Gal. (Litre)	145 (550)	Approx. Working Speed - mph (kph)	1.3 (2.1)

BRON
POWER TO PERFORM

www.rwffbron.com

Tel: 1.800.263.1060 | Fax: 519.421.0028
Email: info@rwffbron.com